CONTENTS

	Page
Life History of Plutella maculipennis, the Diamond-Back Moth. H. O. MARSH	1
Daily Variation of Water and Dry Matter in the Leaves of Corn and the Sorghums. EDWIN C. MILLER	11
A Neglected Factor in the Use of Nicotine Sulphate as a Spray. WILLIAM MOORE and SAMUEL A. GRAHAM	47
A New Disease of Wheat. ERWIN F. SMITH	51
A Study of the Rate of Passage of Food Residues Through the Steer and Its Influence on Digestion Coefficients. P. V. EWING and F. H. SMITH	55
A Further Contribution to the Study of Eriosoma pyricola, the Woolly Pear Aphis. A. C. BAKER and W. M. DAVIDSON	65
Microorganisms and Heat Production in Silage Fermentation. O. W. HUNTER	75
Isolation of Cyanuric Acid from Soil. LOUIS E. WISE and E. H. WALTERS	85
Family Performance as a Basis for Selection in Sheep. E. G. RITZMAN and C. B. DAVENPORT	93
A Needle Blight of Douglas Fir. JAMES R. WEIR	99
A Substitute for Litmus for Use in Milk Cultures. WM. MANSFIELD CLARK and HERBERT A. LUBS	105
Movement and Distribution of Moisture in the Soil. F. S. HARRIS and H. W. TURPIN	113
A Colletotrichum Leafspot of Turnips. B. B. HIGGINS	157
Black Rootrot of the Apple. F. D. FROMME and H. E. THOMAS	163
Physiological Effect on Growth and Reproduction of Rations Balanced from Restricted Sources. E. B. HART, E. V. MCCOLLUM, H. STEENBOCK and G. C. HUMPHREY	175
Toxic Values and Killing Efficiency of the Arsenates. A. L. LOVETT and R. H. ROBINSON	199
Evaporation from the Surfaces of Water and River-Bed Materials. R. B. SLEIGHT	209
Influence of Grading on the Value of Fine Aggregate Used in Portland Cement Concrete Road Construction. F. H. JACKSON, JR.	263
Chemical Studies in Making Alfalfa Silage. C. O. SWANSON and E. L. TAGUE	275
Studies on Oat Breeding—V: The F_1 and F_2 Generations of a Cross Between a Naked and a Hulled Oat. JACOB ZINN and FRANK M. SURFACE	293

Page
Two New Cambium Miners (Diptera). CHARLES T. GREENE.... 313
Toughness of Bituminous Aggregates. CHARLES S. REEVE and RICHARD H. LEWIS..... 319
Origin of Alkali. ROBERT STEWART amd WILLIAM PETERSON... 331
Effect of Paraffin on the Accumulation of Ammonia and Nitrates in the Soil. P. L. GAINEY..... 355
Volatility of Organic Compounds as an Index of the Toxicity of Their Vapors to Insects. WILLIAM MOORE..... 365
The Cyclamen Mite. G. F. MOZNETTE..... 373
Relation of Movement of Water in a Soil to Its Hygroscopicity and Initial Moistness. FREDERICK J. ALWAY and GUY R. MCDOLE. 391
Biologic Forms of Puccinia graminis on Cereals and Grasses. E. C. STAKMAN and F. J. PIEMEISEL..... 429
Quassia Extract as a Contact Insecticide. N. E. MCINDOO and A. F. SIEVERS..... 497
A Nursery Blight of Cedars. GLENN G. HAHN, CARL HARTLEY, and ROY G. PIERCE..... 533
Formation of "Black Alkali" (Sodium Carbonate) in Calcareous Soils. J. F. BREAZEALE..... 541
Effect of Three Annual Applications of Boron on Wheat. F. C. COOK and J. B. WILSON..... 591
Energy Values of Hominy Feed and Maize Meal for Cattle. HENRY PRENTISS ARMSBY and J. AUGUST FRIES..... 599
Further Studies of the Mosaic Disease of Tobacco. H. A. ALLARD. 615
Study of the Proteins of Certain Insects with Reference to Their Value as Food for Poultry. J. S. MCHARGUE..... 633
Wind-Blown Rain, a Factor in Disease Dissemination. R. C. FAULWETTER..... 639
Index..... 649

ERRATA

Legend to Pl. 6: fig. 1 should be 2, fig. 2 should be 1.
Page 160, last line, "20 to 42" should read "55 to 115."
Page 161, Footnote, "Colletotrichum Higginscanum" should read "Colletotrichum Higginsianum."
Page 294, line 19 from bottom, "rachis" should read "rachilla."
Page 306, line 7 from bottom, "Pl. 46, B" should read "Pl. 46, C."
Page 314 should be 316, page 316 should be 314.
Page 439, line 5 from bottom, "Table IV" should read "Table VI."
Page 442, Table IX, "*Agropyron caninum*" should read "*Agrostis canina*."
Page 442, Diagram 3, last line, $\frac{\text{"00"}}{25}$ should read $\frac{\text{"2"}}{25}$.
Page 448, line 2 below Table XVII, "Table XVI" should read "Table XVII."
Page 448, line 3 from bottom, "both" should read "all."
Page 468, Table XXIX, "*Agropyron stolonifera*" should read "*Agrostis stolonifera*."
Page 485, line 13, "longer" should read "shorter."
Page 501, line 5 from bottom, "cochylis" should read "Conchylis."
Page 637, under "Literature cited," "(2) Lusk, Graham. The Elements of the Science of Nutrition. 326 p., 11 fig. Philadelphia and London." should read "(2) Lusk, Graham. 1914. The Fundamental Basis of Nutrition, p. 20, Yale Univ. Press."

ILLUSTRATIONS

PLATES

LIFE HISTORY OF PLUTELLA MACULIPENNIS, THE DIAMOND-BACK MOTH

Page

PLATE 1. A.—*Plutella maculipennis:* Adult. B.—*Plutella maculipennis:* Larva. C.—*Putella maculipennis:* Pupa. D.—Leaf of mustard, showing injury by *Plutella maculipennis* 10

PLATE 2. A.—*Angitia plutellae,* parasite of *Plutella maculipennis.* B.—*Spilochalcis delira,* a parasite on *Angitia plutellae* 10

DAILY VARIATION OF WATER AND DRY MATTER IN THE LEAVES OF CORN AND THE SORGHUMS

PLATE 3. Milo, corn, and kafir leaves, illustrating the method used for obtaining the leaf samples for the determination of the water and dry matter 46

A NEW DISEASE OF WHEAT

PLATE 4. 1, 2.—Spikes magnified to show more distinctly the dark blotches and stripes which are signs of the disease. 3.—Outer surface of a leaf sheath showing black spots and stripes occupied by bacteria 54

PLATE 5. Spikes magnified to show black stripes on glumes and awns 54

PLATE 6. 1.—Black stripes on glumes, awns, and rachis. 2.—Spikelets aborted and blackened, awns twisted, rachis badly diseased (blackened or water-soaked in appearance and oozing bacteria) 54

PLATE 7. 1.—Rachis black and oozing honey-yellow bacterial slime which dries as pale yellowish or whitish crusts. 2, 3.—Same disease on upper part of culm showing as dark spots or stripes oozing pale-yellow masses of bacteria 54

PLATE 8. Shriveled kernels from a single head of wheat like those shown on Plate 4. Not one berry is plump, and many are badly shriveled 54

A FURTHER CONTRIBUTION TO THE STUDY OF ERIOSOMA PYRICOLA, THE WOOLLY PEAR APHIS

PLATE 9. A.—*Eriosoma lanuginosa:* Distal segments of antenna of spring migrant. B.—*Eriosoma pyricola:* Distal segments of antenna of spring migrant. C.—*Eriosoma pyricola:* Distal segments of antenna of fall migrant from European pear stock. D.—*Eriosoma pyricola:* Distal segments of antenna of fall migrant, American material. E.—*Eriosoma pyricola:* Distal segments of antenna of spring migrant 74

PLATE 10. *Eriosoma pyricola:* A, D.—Galls containing fourth-instar stem mothers. B, C.—Mature galls. E.—Old gall 74

ISOLATION OF CYANURIC ACID FROM SOIL

PLATE 11. Cyanuric acid isolated from Indiana soil 92

A NEEDLE BLIGHT OF DOUGLAS FIR

PLATE 12. A.—The needle-blight fungus as it appears normally infecting the 1-year-old needles of *Pseudotsuga taxifolia.* B.—An 18-year-old Douglas fir, showing the thin foliage due to infection with the needle-blight fungus. 104

A COLLETOTRICHUM LEAFSPOT OF TURNIPS

Page

PLATE 13. A.—Leaves of a turnip nine days after inoculation with conidia of *Colletotrichum brassicae*. B.—A turnip leaf showing spots produced by *Cylindrosporium brassicae* 162

PLATE 14. *Colletotrichum brassicae* from turnip: A.—Section through an acervulus on a turnip leaf. B.—Conidia from a turnip leaf..... 162

BLACK ROOTROT OF THE APPLE

PLATE 15. A.—A healthy 6-year-old apple tree contiguous to the affected tree shown in figure B, which appears in the background. B.—A 6-year-old apple tree showing pronounced symptoms of rootrot in the thinness of the foliage and inclination of the trunk. C.—*Xylaria polymorpha* fruiting on large lateral root of a 7-year-old apple tree. D.—*Xylaria hypoxylon* developing stromata on an apple root after three months in a moist chamber. E.—Terminal growths of trees shown in figures A and B, showing effect of rootrot on annual increase in length: *a*, branch from the tree affected by rootrot; *b*, branch from the healthy tree..... 174

PLATE 16. A.—A longitudinal section of a living apple root inoculated at *X* with mycelium of *X. hypoxylon* showing discoloration of wood and bark, after six weeks in a moist chamber. B.—Surface view of a living apple limb inoculated with *X. hypoxylon* after five weeks in moist chamber. C.—Black encrustation produced on an apple limb inoculated with *X. hypoxylon* in a moist chamber. D.—An 8-day old colony of *X. hypoxylon* on starch agar showing characteristic zonation and lobed margin. E.—A longitudinal section of a living apple root inoculated with *Sphaeropsis malorum*, after four weeks in a moist chamber. F.—A surface view of a living apple root inoculated with mycelium of *X. hypoxylon*, after four weeks in moist chamber 174

PLATE 17. A.—*Xylaria hypoxylon* fruiting at the base of a dead apple tree. B.—Stumps of young apple trees which have died from rootrot after having been planted where old trees had died from the same cause. C.—Black rootrot lesions on an apple root from Cloverdale, Va. D.—Longitudinal section of a stroma of *X. polymorpha*, showing perithecia embedded in the periphery. E.—Conidial stromata of *X. hypoxylon* in petri-dish culture on Czapec agar. F.—Mature stromata of *X. hypoxylon* from stump shown in figure A, producing ascospores after one month in a moist chamber. 174

PHYSIOLOGICAL EFFECT ON GROWTH AND REPRODUCTION OF RATIONS BALANCED FROM RESTRICTED SOURCES

PLATE 18. Cattle showing the effect of a ration of wheat grain and wheat straw: A.—Condition at the initiation of the experiment. B.—Condition after 12 months on the ration. Note the sluggish and sleepy condition. C.—Condition after 12 months on the ration. Note the distinct emaciation. D.—Condition of two yearlings after 18 months on the ration. Both are in sluggish condition and one of them is blind..... 198

PLATE 19. Cattle showing the effect of a ration of corn grain and corn stover: A.—Condition at the initiation of the experiment. B, C, D.—Condition after 12 months on the ration. Note the alert and thrifty condition. E.—Condition after 30 months on the ration. Note the splendid condition.... 198

PLATE 20. Cattle showing the effect of a ration of corn grain and wheat straw: A.—Condition at the initiation of the experiment. B.—Condition after 12 months on the ration. C.—Condition after 30 months on the ration..... 198

Page

PLATE 21. Cattle showing the effect of a ration of wheat grain and corn stover: A.—Condition at the initiation of the experiment. B.—Condition after 12 months on the ration. C.—Condition after 30 months on the ration..... 198

PLATE 22. Cattle showing the effect of a ration of corn grain, wheat straw, and alfalfa: A.—Condition at the initiation of the experiment. B.—Condition after 6 months on the ration. C.—Condition after 24 months on the ration..... 198

PLATE 23. Cattle showing the effect of a ration of wheat grain and corn stover: A–C.—*A*, Mother (No. 637) in poor condition. *B*, Calf weak with peculiar attitude of head. *C*, Calf grew strong. D.—A heifer (No. 635) showing the effect of a ration of corn grain and wheat straw after 24 months. E–F.—A cow (No. 575) and her calf, showing the effect of an all-corn-plant ration after 24 months..... 198

PLATE 24. A–B.—A cow (No. 642) and her calf, showing the effect of a ration of corn grain, wheat straw, and alfalfa hay. C–D.—A cow (No. 636) and her calf, showing the effect of a ration of corn grain and wheat straw. E–F.—A cow (No. 636) and her calf, showing the effect of a ration of corn grain, wheat straw, and organic salts..... 198

PLATE 25. A–B.—A cow (No. 641) and her calf, showing the effect of a wheat grain and corn-stover ration. C.—The calf of cow 641, showing the effect of a ration of wheat grain, wheat straw, and magnesium citrate. D.—The calf of cow 651, showing the effect of a wheat-grain, wheat-straw, and organic-salt mixture. E–G.—A cow (No. 570) and her calf, showing the effect of a wheat-grain, wheat-straw, and organic-salt mixture..... 198

PLATE 26. A–B.—A cow (No. 637) and her calf, showing the effect of a wheat-grain and corn-stover ration. C.—The calf of cow 636, showing the effect of a wheat-grain, wheat-straw, and organic-salt mixture. D–F.—A cow (No. 644) showing the effect of a ration of baked wheat and wheat straw.... 198

PLATE 27. A–B.—A cow (No. 645) and her calf, showing the effect of a baked-wheat, wheat-straw, and organic-salt mixture. C–D.—A cow (No. 637) and her calf, showing the effect of wheat-flour and corn-stover ration. E–F.—A cow (No. 652) and her calf, showing the effect of a wheat-flour and corn-stover ration..... 198

PLATE 28. A–B.—A cow (No. 650) and her calf, showing the effect of a ration of corn grain, corn stover, and organic salts. C–D.—A cow (No. 594) and her calf, showing the effect of a ration of corn grain, corn stover, and a mixture of inorganic bases as carbonates. E–F.—A cow (No. 647) and her calf, showing the effect of a ration of corn grain, corn stover, and magnesium citrate..... 198

PLATE 29. A–B.—A cow (No. 563) and her calf, showing the effect of a ration of corn grain, corn stover, sulphuric acid, and phosphoric acid. C.—The calf of cow 642, showing the effect of a ration of wheat grain, wheat gluten, corn stover, and butter fat. D–E.—A cow (No. 653) and her calf, showing the effect in 1915 of a ration of wheat grain, wheat gluten, corn stover, and butter fat..... 198

PLATE 30. A–B.—Cow, *D*, illustrating the effect in 1916 of the same ration as in 1915. C–D.—A cow (No. 562) and her calf, showing the effect of a ration of wheat embryo, corn starch, and corn stover. E.—A cow (No. 654) and her calf, showing the effect of a ration of wheat grain, casein, and corn stover..... 198

PLATE 31. A–B.—Cow 642 and her calf, showing the effect of a ration of corn grain, wheat straw, and alfalfa hay. C–D.—Cow 643 and her calf, showing the effect of a ration of corn grain, wheat straw, and alfalfa hay. E–F.—The calf of cow 636, showing the effect of a ration of wheat grain, wheat straw, and alfalfa hay..... 198

Page

PLATE 32. A–B.—A cow (No. 648) and her calf, showing the effect in 1915 of a ration of wheat grain, wheat straw, and alfalfa hay. C–D.—The same cow (No. 648), showing the effect in 1916 of the second gestation on the same ration, wheat grain, wheat straw, and alfalfa hay. E.—A cow (No. 662) and her calf, showing the effect of a ration of corn meal, starch, wheat embryo, and corn stover..... 198

EVAPORATION FROM THE SURFACES OF WATER AND RIVER-BED MATERIALS

PLATE 33. General view of the irrigation field laboratory, Denver, Colo., looking west..... 262

PLATE 34. A.—Hoff hook gage for evaporation. B.—Evaporation tank 3 after a sandstorm. C.—Snow-covered evaporation tanks 4 and 7..... 262

PLATE 35. A.—Three anemometers during a test run. B.—Evaporation tank 7..... 262

PLATE 36. A.—Apparatus used for comparison between still and flowing water, together with tanks 8, 15, and 3. B.—A heated evaporation tank similar to No. 23, 24, and 25..... 262

PLATE 37. A.—United States Weather Bureau standard pan for class A station. B.—United States Geological Survey standard floating tank..... 262

PLATE 38. A.—Water-jacketed evaporation tanks of the Fortier type. B.—Apparatus for weighing tanks..... 262

STUDIES ON OAT BREEDING—V: THE F_1 AND F_2 GENERATIONS OF A CROSS BETWEEN A NAKED AND A HULLED OAT

PLATE 39. A.—A head of the Victor oat, line 262. B.—A head of the naked oat, *Avena sativa nuda* var. *inermis*. C.—A head of an F_1 generation plant of the cross ♀ Victor × ♂ *Avena nuda*..... 312

PLATE 40. A.—Single spikelet of *Avena nuda*. B.—Single spikelet of the Victor oat..... 312

PLATE 41. A.—Glumes of the Victor oat: From left to right—One of the outer, sterile, covering glumes, or the gluma; lower flowering glume, the palea inferior, and upper flowering glume, the palea superior. B.—Glumes of the naked oat: From left to right—One of the glumæ, palea inferior, and palea superior..... 312

PLATE 42. A.—♀ Victor × ♂ *Avena nuda* F_2: A branch of a plant bearing biflorous spikelets containing naked kernels. B.—♀ Victor × ♂ *Avena nuda* F_2: A white grain showing no pubescence at the base of the lower grain. C.—Caryopsis of *Avena nuda*..... 312

PLATE 43. A.—♀ Victor × ♂ *Avena nuda:* A head of an F_2 plant bearing only completely hulled grain. B.—♀ Victor × ♂ *Avena nuda:* A head of an F_2 plant bearing only hull-less grain. C.—♀ Victor × ♂ *Avena nuda* F_2: *a*, Spikelet with intermediately hulled grain; *b*, dorsal view of same..... 312

PLATE 44. ♀ Victor × ♂ *Avena nuda* F_1: Types of grain. From left to right—Multiflorous spikelet bearing naked grain, intermediately hulled grain and completely hulled grain..... 312

PLATE 45. ♀ Victor × ♂ *Avena nuda* F_2: Types of grain segregating in the second generation. From left to right—Multiflorous spikelet bearing naked grain, spikelet bearing naked grain and showing reduction in number of florets, intermediately hulled grain and completely hulled grain..... 312

PLATE 46. A.—Lower grain of the Victor oat showing the long but sparse pubescence at the sides of the base. B.—♀ Victor × ♂ *Avena nuda* F_2: Lower grain showing a rather thick pubescence at the sides of the base. C.—♀ Victor × ♂ *Avena nuda* F_2: Dorsal view of upper grain showing pubescence at the sides of the base..... 312

PLATE 47. ♀ Victor × ♂ *Avena nuda* F_2: A spikelet showing pubescence on both lower and upper grain..... 312

Page

TWO NEW CAMBIUM MINERS (DIPTERA)

PLATE 48. A.—*Agromyza aceris:* Larva. *a*, Cephalopharyngeal skeleton; *b*, posterior spiracle. B.—*Agromyza aceris:* Pupa. C.—*Agromyza amelanchieris:* Larva. *c*, Cephalopharyngeal skeleton; *d*, posterior spiracle. D.—*Agromyza amelanchieris:* Pupa..... 318

TOUGHNESS OF BITUMINOUS AGGREGATES

PLATE 49. A.—Sand. B.—Diabase. C.—Biotite schist. D.—Quartzote. E.—Biotite granite. F.—Biotite gneiss..... 330

PLATE 50. A.—Altered diabase porphyry. B.—Feldspathic sandstone. C.—Open-hearth slag. D.—Feldspathic quartzite. E.—Chlorite schist. F.—Limestone..... 330

THE CYCLAMEN MITE

PLATE 51. A.—A healthy, a somewhat infested, and a badly infested cyclamen plant with the characteristic distortion, dwarfing, and curling of the foliage. B.—Flats in a greenhouse containing young cyclamen plants just transferred from seeds flats into small pots, showing the proper size at the time of the first spraying..... 390

PLATE 52. A.—Cyclamen leaves showing the distortion to the leaves due to the attacks of the cyclamen mite. B.—Cyclamen flowers showing the streaked parts due to attacks of the mites. C.—A large cyclamen leaf, showing the curling and galling effect due to the mites, and young flower buds into the innermost parts of which the mites enter, resulting in the streaked flowers shown in figure B. D.—Young cyclamen leaves with the peculiar curling due to attacks of the mites, together with an older leaf with a slight curling at the lobes caused by mite attacks while the leaf was young. E.—A group of eggs of the cyclamen mite..... 390

BIOLOGIC FORMS OF PUCCINIA GRAMINIS ON CEREALS AND GRASSES

PLATE 53. *Puccinia graminis tritici* on wheat, barley, rye and oats 11 days after inoculation..... 496

PLATE 54. *Puccinia graminis tritici compacti* on wheat, barley, rye, and oats 10 days after inoculation..... 496

PLATE 55. A.—*Puccinia graminis tritici compacti* on *Triticum vulgare*, barley, and *Triticum compactum*—that is on common wheat, barley, and club wheat. B.—*Puccinia graminis tritici* on *Triticum vulgare* barley and *Triticum compactum*—that is, on common wheat, barley, and club wheat.. 496

PLATE 56. *Puccinia graminis secalis* on wheat, barley, rye, and oats..... 496

PLATE 57. *Puccinia graminis avenae* on wheat, barley, rye, and oats..... 496

PLATE 58. *Puccinia graminis phleipratensis* on wheat, barley, rye, oats, and *Phleum pratense*..... 496

PLATE 59. *Puccinia graminis agrostis* on wheat, barley, rye, oats, and *Agrostis alba*..... 496

A NURSERY BLIGHT OF CEDARS

PLATE 60. A.—A 2-year-old seedling of *Juniperus virginiana* growing under field conditions, typically affected by red-cedar blight. B.—*Thuja orientalis: a*, inoculated at wounds in outer cortex with single spore cultures of *Phoma* sp.; *b*, control..... 540

PLATE 61. Spore horns of *Phoma* sp. upon *Juniperus virginiana* resulting from inoculation with single spore cultures under greenhouse conditions..... 540

Page

FORMATION OF "BLACK ALKALI" (SODIUM CARBONATE) IN CALCAREOUS SOILS

PLATE 62. A.—One-year-old lemon seedlings, showing the effect of additions of lime and manure to the soil. B.—Two-and-one-half-month-old lemon seedlings, showing the effect of alkali crust on ground. C.—Reservoirs, showing the effect of a lime hardpan upon the formation of black alkali... 590

FURTHER STUDIES OF THE MOSAIC DISEASE OF TOBACCO

PLATE 63. Leaves of tobacco showing method of severing the midrib and lateral veins in studying the distribution of the virus from the point of inoculation. Leaf A, midrib severed at base. Leaf B, lateral veins on both sides of midrib severed. Leaf C, lateral veins on one side of midrib severed..... 632

TEXT FIGURES

DAILY VARIATION OF WATER AND DRY MATTER IN THE LEAVES OF CORN AND THE SORGHUMS

FIG. 1. Graphs showing the amount of water and dry matter in the leaves of corn, kafir, and milo for July 28 and 29, 1914, and the evaporation for the corresponding period..... 16

2. Graphs showing the amount of water and dry matter in the leaves of corn, kafir, and milo for August 3 and 4, 1914, and the evaporation for the corresponding period..... 17

3. Graphs showing the amount of water and dry matter in the leaves of corn, kafir, and milo for August 10 and 11, 1914, and the evaporation for the corresponding period..... 18

4. Graphs showing the amount of water and dry matter in the leaves of corn, kafir, and milo for August 15 and 16, 1914, and the evaporation for the corresponding period..... 19

5. Graphs showing the amount of water and dry matter in the leaves of corn, kafir, and milo for August 25 and 26, 1914, and the evaporation for the corresponding period..... 20

6. Graphs showing the amount of water and dry matter in the leaves of corn, kafir, and milo for July 13 and August 1, 1915, and the evaporation for the same period..... 21

7. Graphs showing the amount of water and dry matter in the leaves of corn and milo for July 20 and 21, 1916, and the evaporation for the corresponding period..... 22

8. Graphs showing the amount of water in the leaves of corn, kafir, and milo for July 26 and 27, 1916, and the evaporation for the corresponding period..... 23

9. Graphs showing the amount of water in the leaves of corn and milo for August 1 and 2, 1916, and the evaporation for the corresponding period..... 24

10. Graphs showing the amount of water in the leaves of corn, kafir, and milo for August 10 and 11, 1916, with the evaporation for the corresponding period..... 25

A FURTHER CONTRIBUTION TO THE STUDY OF ERIOSOMA PYRICOLA, THE WOOLLY PEAR APHIS

FIG. 1. Diagram showing the life cycle of *Eriosoma pyricola*..... 73

Page

MICROORGANISMS AND HEAT PRODUCTION IN SILAGE FERMENTATION

FIG. 1. Curves representing the heat-producing ability of cured alfalfa, untreated and treated with chloroform 78
2. Curves representing the heat-producing ability of dry kafir fodder, untreated and treated with chloroform 78
3. Curves representing the heat-producing ability of dry corn fodder, untreated and treated with chloroform and heat, respectively 79
4. Curves representing the heat-producing ability of green cane fodder, untreated with chloroform 79
5. Curves representing the heat-producing ability of green alfalfa, untreated and treated with chloroform and heat, respectively 80
6. Curves representing the heat-producing ability of cured alfalfa, untreated and treated with chloroform and heat, respectively 80
7. Curves representing the heat-producing ability of green alfalfa, untreated and treated with chloroform and heat, respectively 80
8. Curves representing the heat-producing ability of green corn fodder, untreated and treated with chloroform and heat, respectively 81
9. Curves representing the heat-producing ability of green kafir inoculated with *Bacterium bulgaricus* and treated with heat 81
10. Curves representing the heat-producing ability of green kafir, untreated, inoculated, and treated with chloroform and heat, respectively 81

A NEEDLE BLIGHT OF DOUGLAS FIR

FIG. 1. Needle of Douglas fir infected with the needle-blight fungus, showing various forms of apothecia and the manner of their rupture 100
2. Cross section through the middle of two apothecia of the needle-blight fungus, showing the arrangement of the asci and spores, the diseased area of the needle, disorganized cells, and mycelium 101
3. Asci with mature spores of the needle-blight fungus on Douglas fir 101

MOVEMENT AND DISTRIBUTION OF MOISTURE IN THE SOIL

FIG. 1. Diagram showing the effect of cropping and fallowing under irrigation on the distribution of soil moisture in the fall to a depth of 10 feet ... 118
2. Diagram showing the effect of intertilled cropping and fallowing under dry-farming conditions on the seasonal distribution of moisture in the soil to a depth of 6 feet 119
3. Diagram showing the effect of different crops under dry-farming conditions on the seasonal distribution of moisture in the soil to a depth of 6 feet 120
4. Diagram showing the effect of different applications of manure to irrigated soils on the distribution of moisture in the fall to a depth of 6 feet 121
5. Diagram showing the effect of different quantities of irrigation water on the distribution of soil moisture in the fall on cropped and fallow plots to a depth of 10 feet 122
6. Diagram showing the effect of different quantities of irrigation water on the average final water content in 10 feet of soil in the fall in cropped and fallow plots 123
7. Diagram showing the effect of different quantities of irrigation water on the distribution of moisture one week after irrigation in beet and potato plots to a depth of 10 feet 124

Page

FIG. 8. Diagram showing the effect of different quantities of irrigation water on the distribution of moisture before and after irrigation to a depth of 10 feet 126

9. Diagram showing the effect of mulches under irrigation on the distribution of soil moisture to a depth of 10 feet 127

10. Diagram showing the effect of mulches under dry-farming conditions on the average distribution of soil moisture to a depth of 6 feet 128

11. Diagram showing the effect of cultural methods under dry-farming conditions on the average final content, of moisture in the soil to a depth of 6 feet. Each column is an average of 240 samplings 129

12. Diagram showing the effect of spring and fall plowing under dry-farming conditions on the distribution of moisture in the spring, summer, and fall, to a depth of 6 feet 130

13. Diagram showing the effect of dry-farming seasonal conditions on the distribution of moisture in fallow soil to a depth of 6 feet on (1) May 22–29, (2) June 6–10, (3) June 16–20, (4) June 26–28, (5) July 12–15, (6) July 17–19, (7) July 27–29, (8) August 7–9, (9) August 17–19, (10) August 28–30, 1916. The numbers 1 to 10, etc., refer to the columns in the diagram, which were sampled on the dates noted. Each column is the average of 24 samplings 131

14. Diagram showing the effect of the initial percentage of moisture and time on the upward capillary movement of water 132

15. Diagram showing the effect of the initial percentage of moisture and time on the downward movement of water after an 8.66-inch irrigation 133

16. Diagram showing the effect of the initial percentage of moisture on the downward distribution of moisture in soils after the application of varying quantities of irrigation water 134

17. Diagram showing the effect of varying initial percentages of water on the horizontal distribution of moisture in drier soils in contact with a wet soil having 24.36 per cent of water. The top line of each series represents the original distribution 135

18. Diagram showing the effect of varying initial percentages of water on the horizontal distribution of moisture in drier soils in contact with a wet soil having 24.36 per cent of water. The top line of each series represents the original distribution 136

19. Diagram showing the effect of varying initial percentages of water on the horizontal distribution of moisture in drier soils in contact with a wet soil having 28.44 per cent of water. The top line of each series represents the original distribution 137

20. Diagram showing the effect of the initial percentage of water on the final moisture content of soils in contact with a wet loam having 30.45 per cent of water 139

21. Diagram showing a comparison of the rate of capillary movement of moisture upward and downward through air-dry Greenville loam with a varying moisture content in the source of supply 140

22. Diagram showing the average final distribution of moisture which moved upward and downward by capillarity through Greenville loam, air-dried, with a varying moisture content in the source of supply 141

23. Diagram showing the effect of gravity on the quantity of water moved by capillarity through Greenville loam from similar soil containing 30.25 per cent of water as the source of supply 142

Page

FIG. 24. Diagram showing the effect of type of soil on the distribution of capillary moisture at different distances from the source of supply, after standing for 139 days 144
25. Diagram showing the effect of type of soil on the distribution of capillary moisture at different distances from the source of supply 145
26. Diagram showing the distribution of moisture in air-dried Greenville loam in contact with sand having 7.77 per cent, Greenville loam having 31.09 per cent, and clay having 24.62 per cent of moisture .. 146
27. Diagram showing the effect of type of air-dried soil on the rate of capillary movement from various soils used as a source of supply 147
28. Diagram showing the rate of capillary movement through soil columns composed of layers of different types of soils 148
29. Diagram showing the horizontal distribution of capillary moisture at various distances from the source of supply in Greenville loam with different initial percentages of moisture 149
30. Diagram showing the horizontal distribution of capillary moisture at various distances from the source of supply in soils of different types. 150
31. Diagram showing the distribution of capillary moisture at various distances from the source of supply as affected by gravity 151

BLACK ROOTROT OF THE APPLE

FIG. 1. Root system of a 7-year-old apple tree affected with rootrot 166

EVAPORATION FROM THE SURFACES OF WATER AND RIVER-BED MATERIALS

FIG. 1. Map showing the general exposure and topography of the section of South Denver, Colo., adjacent to the Irrigation Field Laboratory of the Office of Public Roads and Rural Engineering 211
2. Map showing layout of Irrigation Field Laboratory for season of 1916 .. 212
3. Sketch showing types of evaporation tanks in use at the Irrigation Field Laboratory 214
4. Relative evaporation depths from round tanks of varying diameters, equal depths, and similar exposure 219
5. Relation of evaporation and temperature, all other factors being similar. 229
6. Relation of water and air temperatures 236
7. Hydrograph and thermograph sheets at the Denver Irrigation Field Station for the week of September 11 to 18, 1916 240
8. Analysis curves for river-bed materials from the Cache la Poudre, Colorado, North Platte, Sacramento, San Joaquin, Santa Ana, South Platte, Umatilla, and Yakima Rivers 246
9. Analysis curves for river-bed materials from the Cache la Poudre, Columbia, Feather, Sacramento, Salt, Santa Ana, Sevier, and South Platte Rivers 247
10. Analysis curves for materials used in evaporation experiment 248
11. Relative evaporation losses from different types of river-bed materials. 256
12. Evaporation losses from stream-bed materials 258
13. Moisture percentage in top 4 inches of Laboratory soil with water table at different depths 259

INFLUENCE OF GRADING ON THE VALUE OF FINE AGGREGATE USED IN PORTLAND CEMENT CONCRETE ROAD CONSTRUCTION

FIG. 1. Graph of hardness tests of artificially graded sand mortar 268
2. Curve of hardness tests of artificially graded sand mortar 269
3. Curve of hardness tests of natural concrete sand mortars 269

Page

FIG. 4. Graph of toughness tests of artificially graded sand mortar 270
5. Curve of toughness tests of artificially graded sand mortar 271
6. Curve of toughness tests of natural concrete sand mortar 271
7. Graph of tension tests of artificially graded sand mortars 272
8. Graph of compression tests of artificially graded sand mortars 272
9. Curve of tension tests of artificially graded sand mortars 273
10. Curve of compression tests of artificially graded sand mortars 273

VOLATILITY OF ORGANIC COMPOUNDS AS AN INDEX OF THE TOXICITY OF THEIR VAPORS TO INSECTS

FIG. 1. Volatility in gram-molecules evaporating in 400 minutes and the toxicity in millionths of a gram-molecule killing insects in 400 minutes 367
2. Continuation of figure 1, showing less volatile compounds 367
3. Volatility and toxicity of the slightly volatile compounds on a larger scale than in figure 2 368
4. Comparison of the volatility and toxicity of the acids 368
5. Comparison of the volatility and toxicity of the esters 368
6. Comparison of the volatility and toxicity of the halogen derivatives .. 368
7. Comparison of volatility and toxicity of the hydrocarbons 369

THE CYCLAMEN MITE

FIG. 1. Map of the United States, showing distribution of *Tarsonemus pallidus* Banks, the cyclamen mite 375
2. *Tarsonemus pallidus:* *A*, long tactile bristle and large clavate organ between the first and second legs; *B*, tarsus of foreleg of the female; *C*, posterior leg of male 376
3. *Tarsonemus pallidus:* Ventral view of female larva 379
4. *Tarsonemus pallidus:* Female quiescent larval stage with development . 380
5. *Tarsonemus pallidus:* Adult female 381
6. *Tarsonemus pallidus:* Adult male 382

RELATION OF MOVEMENT OF WATER IN A SOIL TO ITS HYGROSCOPICITY AND INITIAL MOISTNESS

FIG. 1. Graphs showing the penetration of 1 inch of water in soils A, D, H, and M, each in three moisture conditions—viz, with a moisture content of 0.5, 1.0, and 1.5 times the hygroscopic coefficient 417
2. Graphs showing the rise of water in soils A, D, H, and M, each in three moisture conditions—viz, with a moisture content of 0.5, 1.0, and 1.5 times the hygroscopic coefficient 423

QUASSIA EXTRACT AS A CONTACT INSECTICIDE

FIG. 1. Graph showing the percentage of extract obtained by repeated soaking of 10 gm. of quassia chips with 500 c. c. of water for 2 and 24 hours, respectively 504
2. Graph showing the percentage of extract obtained by boiling 10 gm. of quassia chips with 500 c. c. of water for ½, 1, 2, 4, 8, 16, and 24 hours, respectively 505
3. Graph showing the influence of the state of fineness of the quassia chips upon the percentage of extract obtained when extracting 10 gm. with 500 c. c. of water for 24 hours 506

Page

FORMATION OF "BLACK ALKALI" (SODIUM CARBONATE) IN CALCAREOUS SOILS

FIG. 1. Graphs of the sodium carbonate formed from reaction of calcium carbonate with sodium chlorid, sodium nitrate, or sodium sulphate... 544
2. Graphs showing the depression of sodium carbonate formed by the reaction of calcium carbonate with sodium chlorid, sodium nitrate, or sodium sulphate when a soluble calcium salt containing a common anion is added..... 548
3. Graphs showing the effect of gypsum on the formation of sodium carbonate in the reaction of calcium carbonate with sodium chlorid, sodium nitrate, or sodium sulphate..... 549
4. Graphs showing the sodium carbonate formed by reaction of calcium carbonate (solid phase present) with sodium nitrate. Sodium carbonate titrated out with acetic acid, allowing equilibrium to be established between successive titrations. Numbers refer to titrations. Each graph represents the total sodium carbonate neutralized up to and including that titration..... 550
5. Graphs showing the sodium carbonate formed by reaction of calcium carbonate (solid phase present) with sodium nitrate. Sodium carbonate titrated out with oxalic acid, allowing equilibrium to be established between successive titrations. Numbers refer to titrations. Each graph represents the total sodium carbonate neutralized up to and including that titration..... 551
6. Graphs showing the sodium carbonate formed by reaction of calcium carbonate and sodium chlorid. Sodium carbonate titrated out with hydrochloric acid, allowing equilibrium to be established between successive titrations..... 552
7. Graphs showing the sodium carbonate formed by reaction of calcium carbonate and sodium sulphate. Sodium carbonate titrated out with sulphuric acid, allowing equilibrium to be established between successive titrations..... 553
8. Graph showing the same system as in figure 5, but titrated with carbon-dioxid solution..... 555
9. Graph showing the same system as in figure 6, but titrated with carbon-dioxid solution..... 555
10. Graph showing the same system as in figure 7, but titrated with carbon-dioxid solution..... 556
11. Graphs showing the concentration of sodium bicarbonate in the systems discussed above when in equilibrium with carbon dioxid at approximately atmospheric pressure..... 558
12. Graph showing the same systems as in figure 11, with the addition of calcium sulphate in excess..... 559
13. Graphs showing the effect of soluble calcium salts upon the formation of sodium bicarbonate..... 561
14. Graphs showing the effect of sodium nitrate on the solubility of calcium in soil..... 563
15. Graphs showing the effect of sodium chlorid on the solubility of calcium in soil..... 563
16. Graphs showing the effect of sodium sulphate on the solubility of calcium in soil..... 564
17. Graphs showing the effect of mixtures of sodium chlorid and sodium sulphate on the solubility of calcium in soil..... 564

Page

FIG. 18. Graphs showing the solubility of organic matter in soil in solutions of sodium nitrate 566
19. Graphs showing the solubility of organic matter in soil in solutions of sodium chlorid 568
20. Graphs showing the solubility of organic matter in soil in solutions of sodium sulphate 569
21. Graphs showing the solubility of organic matter in soil in presence of mixtures of sodium chlorid and sodium sulphate 569
22. Graphs showing the solubility of organic matter in a soil in sodium-carbonate and sodium-bicarbonate solutions 576
23. Graphs showing the protective action of sodium chlorid and sodium sulphate upon organic matter of the soil in the presence of sodium carbonate 583
24. Graphs showing the organic matter dissolved from soil by sodium carbonate and afterwards precipitated by sodium chlorid 584
25. Graphs showing the saponification of ethyl acetate by sodium carbonate in the presence of sodium chlorid 586
26. Graphs showing the saponification of ethyl acetate by sodium carbonate in the presence of sodium sulphate 587

WIND-BLOWN RAIN, A FACTOR IN DISEASE DISSEMINATION

FIG. 1. Graph showing the number and distribution of splash drops from five 0.02-c. c. drops falling 16 feet upon wet glass plate over an eighth of a circle 64

INDEX

Page

Acer rubrum—
character of trees of attacked by *Agromyza aceris*... 313
description of *Agromyza aceris* in.... 313, 315, 316
host of *Agromyza aceris*... 313–318
Acetaldehyde, toxicity to insects... 367, 370
Acetic acid. See Acid, acetic.
Acetone, toxicity to insects... 367, 370
Acid—
acetic—
titrations of sodium nitrate-calcium carbonate solution with... 551
toxicity to insects... 367, 370
amino, percentage of groups in animal proteins... 635
carbonic—
in alkali... 342–344, 349, 352
in ash... 340–341, 349, 352
in gypsum... 350
in sandstone... 337, 344–345, 349, 352
in shale... 338–340, 349, 352
in soil... 341, 343–344, 348
cyanuric—
comparison with tetracarbonimid... 87–88
isolation from soil... 85–92
hydrochloric, titrations of sodium chloride-calcium carbonate solutions with... 554
mineral, effect on reproduction of cattle.. 186–187
nitric, titrations of sodium nitrate-calcium carbonate solution with... 554
oxalic, titrations of sodium nitrate-calcium carbonate solutions with... 552–553
percentage in alfalfa silage... 276, 278, 284–285, 287, 291
production of, in silage... 75–83
sulphuric—
in alkali... 342–344, 349, 352
in ash... 340–341, 349, 352
in gypsum... 350
in sandstone... 337, 344–345, 349, 352
in shale... 338–340, 349, 352
in soil... 341, 348
titrations of sodium sulphate-calcium carbonate solutions with... 554
toxicity to insects... 367, 368, 370
valeric, toxicity to insects... 367, 368, 370
Aggregate—
bituminous—
effect of surface character of rock on... 328
physical tests... 328
toughness... 329–330
effect of grading on value... 263–274
Agromyza—
aceris—
character of trees attacked by... 313
n. sp... 313, 315, 316
parasite of *Acer rubrum*... 313–318
amelanchieris—
character of trees attacked by... 313
n. sp... 314
parasite of *Amelanchier canadensis*... 313–318
seasonal history... 314, 315, 317

Page

Alcohol, toxicity to insects... 367, 369, 370
Alfalfa. See *Medicago sativa*.
Alfalfa silage. See Silage, alfalfa.
Alkali—
black—
effect of hardpan on formation... 586–588
formation... 541–590
See also Sodium carbonate.
crusts in irrigated regions... 578–580
formation by soluble salts... 334–352
origin... 331–353
soluble salts in... 342–344, 347, 352
Allard, H. A. (paper): Further Studies of the Mosaic Disease of Tobacco... 615–632
Alway, F. J., and McDole, G. R. (paper): Relation of Movement of Water in a Soil to Its Hygroscopicity and Initial Moistness... 391–428
Allyl isosulphocyanate, toxicity to insects... 367, 368, 370
Amelanchier canadensis, host of *Agromyza amelanchieris*... 313–318
Amino acid. See Acid, amino.
Amino nitrogen, in alfalfa silage... 286–287, 290
Ammonia, effect of paraffin on... 355–363
Amyl—
acetate, toxicity to insects... 367, 368, 370
alcohol, toxicity to insects... 367, 370
nitrite, toxicity to insects... 367, 370
valerate, toxicity to insects... 367, 368, 370
Andropogon sorghum—
variation of dry matter in leaves... 11–46
variation of water in leaves... 11–46
Anqitia plutellae—
host of *Spilochalcis delira*... 8
parasite of *Plutella maculipennis*... 8
Animal proteins, food value... 633–637
Antirrhinum spp., host plant of *Tarsonemus pallidus*... 377
Aphis—
chrysanthemum. See *Macrosiphum sanborni*.
effectiveness of quassia extract on... 497–531
pear-root, European. See *Eriosoma lanuginosa*.
spinach. See *Myzus persicae*.
woolly pear. See *Eriosoma pyricola*.
Armsby, H. P., and Fries, J. A. (paper): Energy Values of Hominy Feed and Maize Meal for Cattle... 599–613
Arsenate—
calcium—
burning effect of spray on plant... 206
toxicity... 199–207
lead, toxicity... 199–207
lead hydrogen, toxicity... 199–207
Ash—
alkali in... 344, 352
soluble salts in... 340–341, 346, 352
Avena sativa nuda × *Avena sativa patula*, crossing experiments... 293–312
Avena sativa patula × *Avena sativa nuda*, crossing experiments... 293–312

Bacteria— Page
cause of heat production in silage 77
probable cause of new disease of *Triticum* spp 52
Baker, A. C., and Davidson, W. N. (paper): A Further Contribution to the Study of Eriosoma pyricola, the Woolly Pear Aphis 65–74
Barberry. See *Berberis* spp.
Barren spots, origin 580–582
Benzene, toxicity to insects 367, 369, 370
Berberis spp., relation to rust epidemics 489–491
Berry, service. See *Amelanchier canadensis*.
Biologic Forms of Puccinia graminis on Cereals and Grasses (paper) 429–496
Bituminous aggregates. See Aggregates, bituminous.
Black Rootrot of the Apple (paper) 163–174
Black rootrot. See Rootrot, black.
Blatella germanica, effect of nicotine sulphate on 48
Blight—
needle, description 100
nursery, of *Juniperus* spp.—
control 538–539
description 534–536
distribution 535–536
history 533–534
Borax, effect on *Triticum* spp. of manure treated with 591–597
Boron, effect on *Triticum* spp 591–597
Brassica—
juncea, host plant of *Plutella maculipennis* 3
napus, host plant of *Plutella maculipennis* 3
nigra, host plant of *Plutella maculipennis* 3
oleracea—
acephala, host plant of *Plutella maculipennis* 3
botrytis, host plant of *Plutella maculipennis* 3
capitata, inoculation with Colletotrichum leafspot fungus 158
caulo-rapa, host plant of *Plutella maculipennis* 3
viridis, inoculation with Colletotrichum leafspot fungus 158
rapa—
host of Colletotrichum leafspot fungus. 157–162
identification of causal organism of Colletotrichum leafspot 160–161
Breazeale, J. F. (paper): Formation of "Black Alkali" (Sodium Carbonate) in Calcareous Soils 541–590
Bromcresol purple, substitute for litmus for use in milk culture 105–111
Brometone, toxicity to insects 368, 370
Bromid, ethylene, toxicity to insects 367, 368, 370
Brommethylphenylketone, toxicity to insects 367, 370
Bromoform, toxicity to insects 367, 368, 370
Butyric acid, toxicity to insects 367, 368, 370

Cabbage. See *Brassica oleracea capitata*.
Calcium—
arsenate—
burning effect of spray on plant 206
toxicity 199–207
Calcium—Continued Page
carbonate—
effect of paraffin on 355–363
effect of sodium salts upon solubility of in soils 577–578
reaction with sodium—
chlorid and calcium chlorid 547
nitrate and calcium nitrate 547
nitrate and calcium sulphate 549
salts 543–546, 566
salts and carbon dioxid 558–560
sulphate and calcium sulphate 547, 550
chlorid, reaction with sodium chlorid and calcium carbonate 547
in alkali 342–344, 349, 352
in ash 340–341, 349, 352
in gypsum 350
in sandstone 337, 344–345, 349, 352
in shale 338–340, 349, 352
in soil 341, 343–344, 348
nitrate, reaction with sodium nitrate and calcium carbonate 547
sulphate, reaction with—
sodium chlorid and calcium carbonate ... 549
sodium nitrate and calcium carbonate ... 549
sodium sulphate and calcium carbonate. 547, 550
Cambium miner. See *Agromyza aceris*.
Camphene, toxicity to insects 367, 368, 369, 370
Camphor, toxicity to insects 368, 370
Candytuft. See *Iberis amara*.
Carbon—
bisulphid, toxicity to insects 367, 369, 370
dioxid, reaction with sodium salts and calcium carbonate 558–560
tetrachlorid, toxicity to insects 367, 368, 370
Carbonic acid. See Acid, carbonic.
Caterpillar. See *Malacosoma pluvialis*.
Cattle—
correctives for whole-wheat feeding 190–192
energy values of feed for 559–613
growth, effect of vitamines on 187–189
growth on corn rations 176–180
growth on wheat rations 178–180
milk secretion of, effect of—
baked wheat on 183–184
mineral acids added to corn ration on .. 186–187
raw flour on 183–184
salts added to imperfect ration 180–183
various rations on 178–180, 191–192
vitamines with wheat ration on 187–189
wheat embryo on 189–192
reproduction of, effect of—
baked wheat on 183–184
balanced rations on 176–180
imperfect rations 176–180
mineral acids added to corn ration on . 186–187
raw flour on 183–184
salts added to corn ration 184–185
salts added to imperfect rations 180–183
vitamines with wheat ration on 187–189
wheat embryo on 189–192
Cauliflower. See *Brassica oleracea botrytis*.
Cedar—
blight. See Blight, cedar.
red. See *Juniperus virginiana* and *J. scopulorum*.

Page

Cement, concrete, effect of grading of aggregates on 263-274
Cereals, occurrence of biologic forms of *Puccinia graminis* on 429-496
Chemical Studies in Making Alfalfa Silage (paper) 275-292
Chloral hydrate, toxicity to insects 367, 368, 370
Chloretone, toxicity to insects 368, 370
Chlorin in—
  alkali 342-344, 347, 349, 352
  ash 340-341, 349
  gypsum 350
  sandstone 337, 344-345, 349
  shale 338-340, 348-349
  soil 341-342, 348
Chloroform, toxicity to insects 367, 368, 370
Chlorpicrin, toxicity to insects 367, 369, 370
Chrysanthemum—
  aphis. See *Macrosiphum sanborni*.
  host plant of *Tarsenomus pallidus* 377
Citral, toxicity to insects 367
Clark, W. M., and Lubs, H. A. (paper): A Substitute for Litmus for Use in Milk Cultures 105-111
Clay, soluble salts in 341-342, 348, 352
Colemanite, effect on *Triticum* spp. of manure treated with 591-597
Collard. See *Brassica oleracea viridis*.
Colletotrichum—
  brassicae, mistaken for causal organism of Colletotrichum leafspot 160-161
  higginsianum—
    causal organism of leafspot of *Brassica rapa* (footnote) 161
    n. sp. (footnote) 161
Colletotrichum Leafspot of Turnips, A (paper) 157-162
Concrete—
  bituminous, index to service 328
  cement, effect of grading of aggregates on. 263-274
Cook, F. C., and Wilson, J. B. (paper): Effect of Three Annual Applications of Boron on Wheat 591-597
Corn—
  influence on alfalfa silage 280
  See also *Zea mays*.
Crop, effect on soil moisture 117-124, 151
Croton bug. See *Blatella germanica*.
Cultivation, effect on soil moisture. 115, 128-129, 151
Culture, milk, use of bromcresol purple in. 105-111
Cupressus glabra, host of *Phoma* sp 538
Cyanuric acid. See Acid, cyanuric.
Cyclamen Mite, The (paper) 373-390
  See also *Tarsonemus pallidus*.
Cylindrosporium brassicae, comparison with causal organism of Colletotrichum leafspot 161-162

Daily Variation of Water and Dry Matter in the Leaves of Corn and the Sorghums (paper) 11-46
Davenport, C. B., and Ritzman, E. G. (paper): Family Performance as a Basis for Selection in Sheep 93-97
Davidson, W. M., and Baker, A. C. (paper): A Further Contribution to the Study of Eriosoma pyricola, the Woolly Pear Aphis. 65-74

Page

Diamond-Back Moth. See *Plutella maculipennis*.
Dibromoorthocresolsulfonphthalein. See Bromcresol purple.
Digestion, influence of—
  moisture of feces of steer on 55-56
  rate of passage of feed through the steer on. 60-61
Disease dissemination by wind-blown rain. 639-648
Douglas fir. See *Pseudotsuga taxifolia*.

Effect of Paraffin on the Accumulation of Ammonia and Nitrates in the Soil (paper) 355-363
Effect of Three Annual Applications of Boron on Wheat (paper) 591-597
Embryo, wheat, effect on reproduction in cattle 189-190
Elm. See *Ulmus* spp.
Energy—
  chemical, losses 604-605, 607
  metabolizable—
    losses 604-605
    values of feed 609-610
  net, values of feed 607-608
Energy Values of Hominy Feed and Maize Meal for Cattle (paper) 599-613
Eriosoma—
  lanuginosa, comparison with *Eriosoma pyricola* 66-68
  pyri, alternate form of *Eriosoma lanuginosa*. 66
  pyricola—
    comparison with *Eriosoma lanuginosa* ... 66-68
    description 67-68
    life history 68-73
    parasite of—
      Pyrus communis 65-74
      Ulmus americana 68
      Ulmus campestris 68
Errata IV
Ether—
  solvent of quassiin powder 510-511
  toxicity to insects 367, 369, 370
Ethyl—
  acetoacetate, toxicity to insects 367, 368, 370
  alcohol, toxicity to insects 367, 369, 370
  ether, toxicity to insects 367, 370
  malonate, toxicity to insects 367, 368, 370
  mercaptan, toxicity to insects 367, 369, 370
Ethylene bromid, toxicity to insects ... 367, 368, 370
Eugenol, toxicity to insects 367
Evaporation—
  accuracy of measurements for 216-217
  analysis of river-bed materials for 244-249
  description of tanks used for 249
  effect of—
    depth on 218-238
    flowing water on 227-229
    on irrigation 209
    size of water surfaces on 218-259
    still water on 227-229
    stream-bed materials on 242-259
    temperature on 218-239, 253
    weather on 241-242
    wind velocity on 239-241
Evaporation from the Surfaces of Water and River-Bed Materials (paper) 209-261
Ewing, P. V., and Smith, F. H. (paper): A Study of the Rate of Passage of Food Residues through the Steer and Its Influence on Digestion Coefficients 55-63

Page

Fallow soil. See Soil, fallow.
Family Performance as a Basis for Selection in Sheep (paper)..... 93-97
Faulwetter, R. C. (paper): Wind-blown Rain, A Factor in Disease Dissemination..... 639-648
Feces, steer, relation of moisture content of, on digestion coefficients..... 55-56
Feed—
  effect on—
    growth of cattle..... 175-198
    milk secretion in cattle..... 179-198
    reproduction of cattle..... 175-198
  energy values..... 599-613
  influence of—
    kind on rate of passage through steer.... 60
    quantity on rate of passage through steer. 60, 61
    rate of passage through steer on digestion. 55-63
Fertilizer. See Manure.
Fir, Douglas. See *Pseudotsuga taxifolia*.
Food, value of proteins of insects as..... 633-637
Food plants, effect of nicotine sulphate as spray on..... 47-50
Formation of "Black Alkali" (Sodium Carbonate) in Calcareous Soils (paper)..... 541-590
Fries, J. A., and Armsby, H. P. (paper): Energy Values of Hominy Feed and Maize Meal for Cattle..... 599-613
Fromme, F. D., and Thomas, H. E. (paper): Black Rootrot of the Apple..... 163-174
Fungus—
  cause of Colletotrichum leafspot of *Brassica rapa*..... 157-162
  needle-blight—
    control..... 102
    description..... 102-103
    distribution..... 99, 101-102
    effect of season on dissemination..... 100-101
    identification..... 102-103
    parasite of *Pseudotsuga taxifolia*..... 99-103
Furfural, toxicity to insects..... 367, 370
Further Contribution to the Study of Eriosoma pyricola, the Woolly Pear Aphis, A (paper)..... 65-74
Further Studies of the Mosaic Disease of Tobacco (paper)..... 615-632

Gainey, P. L. (paper): Effect of Paraffin on the Accumulation of Ammonia and Nitrates in the Soil..... 355-363
Gall aphis. See *Eriosoma pyricola*.
Gasoline, toxicity to insects..... 367, 369, 370
Graham, S. A., and Moore, W. (paper): A Neglected Factor in the Use of Nicotine Sulphate as a Spray..... 47-50
Grasses—
  occurrence of biologic forms of *Puccinia graminis* on..... 429-496
  wild, relation to rust epidemics..... 488-491
Grasshopper. See *Melanoplus* spp.
Gravity, effect on soil moisture. 117, 131-143, 150, 151
Greene, C. T. (paper): Two New Cambium Miners (Diptera)..... 313-318
Gypsum—
  chlorin in..... 350
  effect upon formation of sodium carbonate..... 549-550
  soluble salts in..... 350

Page

Hahn, G. G., Hartley, C., and Pierce, R. G. (paper): A Nursery Blight of Cedars..... 533-540
Harris, F. S., and Turpin, H. W. (paper): Movement and Distribution of Moisture in the Soil..... 113-155
Hart, E. B., McCollum, E. V., Steenbock, H., and Humphrey, G. C. (paper): Physiological Effect on Growth and Reproduction of Rations Balanced from Restricted Sources..... 175-198
Hartley, C., et al. (paper): A Nursery Blight of Cedars..... 533-540
Hay, clover and timothy, digestibility.... 603-604
Heat production—
  in silage..... 75-83
  in cattle..... 605-607
Hexane. See Petroleum ether.
Higgins, B. B. (paper): A Colletotrichum Leafspot of Turnips..... 157-162
Hominy feed—
  composition..... 600
  digestibility..... 603-604, 610, 611
  energy values..... 599-613
Horse fly. See *Musca domestica*.
Horse-radish. See *Radicula armoracea*.
Humphrey, G. C., et al. (paper): Physiological Effect on Growth and Reproduction of Rations Balanced from Restricted Sources..... 175-198
Hunter, O. W. (paper): Microorganisms and Heat Production in Silage Fermentation... 75-83
Hydrochloric Acid. See Acid, hydrochloric.
Hygroscopicity, relation of soil-water movement to..... 391-428

Iberis amara, host plant of *Plutella maculipennis*..... 3
Influence of Grading on the Value of Fine Aggregate Used in Portland Cement Concrete Road Construction (paper)..... 263-274
Insect—
  proteins, food value of..... 633-637
  toxicity of arsenates to..... 199-207
  toxicity of organic compounds to..... 365-371
Insecticide, quassia extract as..... 497-531
Irrigation, distribution of soil moisture after. 116, 117-118, 120-127, 133-134
Isoeugenol, toxicity to insects..... 367
Isolation of Cyanuric Acid from Soil (paper). 85-92

Jackson, jr., F. H. (paper): Influence of Grading on the Value of Fine Aggregate Used in Portland Cement Concrete Road Construction..... 263-274
June bug. See *Lachnosterna* sp.
Juniperus—
  barbadensis, host of *Phoma* sp..... 538
  communis, host of *Phoma* sp..... 538
  pachyphloea, host of *Phoma* sp..... 538
  prostrata, host of *Phoma* sp..... 538
  scopulorum, host of *Phoma* sp..... 533-540
  spp.—
    nursery-blight of—
      control..... 538-539
      description..... 534-536
      distribution..... 535-536
      history..... 533-534
  virginiana, host of *Phoma* sp..... 533-540

Page

Kafir. See *Andropogon sorghum.*
Kale. See *Brassica oleracea acephala.*
Kerosene, toxicity to insects..... 368, 369, 370
Kohlrabi. See *Brassica oleracea caulo-rapa.*
Koniga maritima, host plant of *Plutella maculipennis*..... 3

Lachnosterna sp., value of as food for poultry 634-637
Lactuca sativa—
effect of nicotine sulphate on..... 47-50
inoculation with Colletotrichum leafspot fungus..... 158
Lead arsenate, toxicity..... 199-207
Lead hydrogen arsenate, toxicity..... 199-207
Leafspot, Colletotrichum—
causal organism—
comparison with *Cylindrosporium brassicae.*
description (footnote)..... 161
identification..... 160-161
inoculation of plants with..... 158-159
See also *Colletotrichum higginsianum.*
seed infection..... 159-160
description..... 157
Leaf, water content..... 11-45
Lettuce. See *Lactuca sativa.*
Lewis, R. H., and Reeve, C. S. (paper): Toughness of Bituminous Aggregates.... 319-330
Life History of Plutella maculipennis, the Diamond-Back Moth (paper)..... 1-10
Lime—
effect of hardpan of upon formation of black alkali..... 586-588
salts of, effect upon formation of sodium bicarbonate..... 561-562
solubility..... 565
soluble salts of—
effect upon formation of sodium carbonate..... 547-549
formation of sodium carbonate in presence of..... 550-557
insoluble salts of, formation of sodium carbonate in presence of..... 550-557
Litmus, use of bromcresol purple as substitute for..... 105-111
Louse, plant. See Macrosiphum.
Lovett, A. L., and Robinson, R. H. (paper): Toxic Values and Killing Efficiency of the Arsenates..... 199-207
Lubs, H. A. and Clark, W. M. (paper): A Substitute for Litmus for Use in Milk Cultures..... 105-111

Macrosiphum—
lactucae, transmission of mosaic disease by 627-628
pelargonii, transmission of mosaic disease by 628
sanborni, effect of nicotine sulphate on..... 49
tabaci, transmission of mosaic disease by..628-629
Magnesium in—
alkali..... 342-344, 349, 352
ash..... 340-341, 349, 352
gypsum..... 350
sandstone..... 337, 344-345, 348, 349, 352
shale..... 338-340, 349, 352
soil..... 341, 342, 343-344, 348
Maize. See *Zea mays.*

Page

Maize meal, digestibility..... 603-604
Malacosoma pluvialis, effect of arsenic on.. 199-207
Malus sylvestris, host of *Xylaria* spp..... 163-174
Manure—
effect on soil moisture..... 115, 120-125, 151
treated with—
borax, effect on *Triticum* spp..... 591-597
colemanite, effect on *Triticum* spp..... 591-597
Maple, red. See *Acer rubrum.*
Marsh, H. O. (paper): Life History of Plutella maculipennis, the Diamond-Back Moth... 1-10
McCollum, E. V., et al (paper): Physiological Effect on Growth and Reproduction of Rations Balanced from Restricted Sources. 175-198
McDole, G. R., and Alway, F. J. (paper): Relation of Movement of Water in a Soil to Its Hygroscopicity and Initial Moistness. 391-428
McHargue, J. S. (paper): A Study of the Proteins of Certain Insects with Reference to their Value as Food for Poultry..... 633-637
McIndoo, N. E., and Sievers, A. F. (paper:) Quassia Extract as a Contact Insecticide. 497-531
Medicago sativa—
chemical studies in making silage..... 275-292
effect on—
growth of cattle..... 177-197
milk secretion of cattle..... 179-197
reproduction of cattle..... 179-197
Melanoplus spp., value of as food for poultry 634-637
Menthol, toxicity to insects..... 368, 370
Menthone, toxicity to insects..... 367, 368, 370
Mesochorus sp., parasite of *Plutella maculipennis*..... 8
Meteorus sp., parasite of *Plutella maculipennis* 8
Methyl alcohol, toxicity to insects..... 367, 369, 370
Methyl salicylate, toxicity to insects... 367, 368, 37
Microorganisms and Heat Production in Silage Fermentation (paper)..... 75-83
Microplitis sp., parasite of *Plutella maculipennis*..... 8
Milk—
secretion in cattle—
effect of baked wheat on..... 183-184
effect of mineral acids on..... 186-187
effect of raw flour on..... 183-184
effect of salts on..... 180-185
effect of various rations on..... 178-180, 191-192
effect of wheat embryo on..... 189-192
influence of salts added to imperfect ration..... 180-183
use of bromcresol purple in cultures of .. 105-111
Miller, E. C. (paper): Daily Variation of Water and Dry Matter in the Leaves of Corn and the Sorghums..... 11-46
Milo. See *Andropogon sorghum.*
Miner, cambium. See *Agromyza aceris.*
Mite, cyclamen. See *Tarsonemus pallidus.*
Moisture—
in alfalfa silage..... 286-287, 290
initial—
relation of soil water movement to..... 391-428
relation to hygroscopic coefficient..... 406-408
See also Water.
soil, forces acting on..... 114-153
steer, feces, relation to digestion coefficients. 55-56
Molasses, influence on alfalfa silage..... 280

Page

Moore, W. (paper): Volatility of Organic Compounds as an Index of the Toxicity of their Vapors to Insects 365–371
Moore, W., and Graham, S. A. (paper): A Neglected Factor in the Use of Nicotine Sulphate as a Spray 47–50
Mortar, sand, effect of grading on—
compression of 271–274
hardness of 267–269
tension of 271–274
toughness of 270–271
Mosaic disease—
control 621–623, 627, 629
distribution of virus in *Nicotiana tabacum* 620–621
effect of soil sterilization on 622–623
effect of washing on removal of virus of from hands 621–622
effect on *Nicotiana glauca* 624–626
resistance of *Nicotiana tabacum* to 618–620
transmission by plant lice 626–630
Movement and Distribution of Moisture in the Soil (paper) 113–155
Moznette, G. F. (paper): The Cyclamen Mite 373–390
Mulch, effect on soil moisture 125–128, 152
Musca domestica, toxicity of organic compounds to 365–371
Mustard—
Chinese. See *Brassica juncea*.
hedge. See *Sisymbrium* sp.
See also *Brassica nigra*.
Myzus persicae—
effect of nicotine sulphate on 49
transmission of mosaic disease by 626–630

Naphthalene, toxicity to insects 367–370
Needle-blight, description 100
Needle-blight fungus. See Fungus, needle-blight.
Needle Blight of Douglas Fir, A (paper) 99–104
Neglected Factor in the Use of Nicotine Sulphate as a Spray, A (paper) 47–50
New Disease of Wheat, A (paper) 51–54
Nicotiana—
glauca, effect of Mosaic disease on 624–626
tabacum—
control of mosaic disease on 623, 627, 629
distribution of virus of mosaic disease in 620–621
infectivity of virus of mosaic disease on. 615–631
resistance to mosaic disease 618–620
transmission of mosaic disease by plant lice 626–630
Nicotine, toxicity to insects 367, 368, 370
Nicotine sulphate—
as spray—
comparison with nicotine 47–50
effect on *Macrosiphum sanborni* 49
effect on *Myzus persicae* 49
poisoning by 47–50
toxicity to man 47
effectiveness of quassia extracts containing 515–518
effect of alkali on 48–50
effect on *Blatella germanica* 48
nonvolatility 48–50

Page

Niter spots, soluble salts in 343–344
Nitrate, effect of paraffin on 355–363
Nitric acid. See Acid, nitric.
Nitrobenzene, toxicity to insects 367, 368, 370
Nitrogen—
amino, in alfalfa silage 286–287, 290
ammonia, effect of paraffin on 355–363
effect of paraffin on 355–363
Nursery Blight of Cedars, A (paper) 533–540

Oat—
hulled. See *Avena sativa patula*.
naked. See *Avena sativa nuda*.
Organic compounds—
index of toxicity to insects 365–371
relation of volatility to toxicity 365–371
Origin of Alkali (paper) 331–353
Oxalic acid. See Acid, oxalic.

Packing, influence on alfalfa silage 278, 280
Paraffin, effect on ammonia nitrogen 355–363
Pear aphis, woolly. See Aphis, woolly pear.
Pear. See *Pyrus communis*.
Pentane. See Petroleum ether.
Peterson, W., and Stewart, R. (paper): Origin of Alkali 331–353
Petroleum ether, toxicity to insects 367, 369, 370
Phoma sp., causal organism of nursery blight of cedars 533–540
Physiological Effect on Growth and Reproduction of Rations Balanced from Restricted Sources (paper) 175–19
Piemeisel, F. J., and Stakman, E. C. (paper): Biologic Forms of Puccinia graminis on Cereals and Grasses 429–496
Pierce, R. G., et al. (paper): A Nursery Blight of Cedars 533–540
Pinene, toxicity to insects 367, 369
Plutella maculipennis—
control 9
description 1–2
distribution 2–3
egg laying 7–8
generations 5–6
host plants 3
injury to plants 8
life history 4–8
natural enemies 8
seasonal history 3–4
Poisoning—
insect, relation of volatility of organic compounds to 365–371
nicotine 47–50
Poultry, value of proteins of insects as food for 633–648
Propyl acetate, toxicity to insects 367, 368, 370
Protein—
animal, percentage of amino-acid groups in 634–635
insect, value as food 633–637
Pseudotsuga taxifolia—
control of needle-blight fungus on 102
description of needle-blight fungus on 102–103
distribution of needle-blight fungus on. 99, 101–102
food plant of needle-blight fungus 99–103
identification of needle-blight fungus on. 102–103

Puccinia graminis— Page
appearance of uredinia 486-487
development of uredinia 486-487
identity 429-493
infection of cereals by 429-493
morphology of urediniospores 484-488
on cereals 429-493
on grasses 429-493
parasitism 488
relation of wild grasses to 488-491
results of inoculation of urediniospores on various hosts 432-484
Pyridin, toxicity to insects 367, 370
Pyrus communis, host plant of *Eriosoma pyricola* 65-74

Quassia—
effectiveness of—
extracts 502-504
spray solutions 515-516
effect of—
boiling chips on extraction of 503-504
fineness of chips on extraction of 506
size of chips on extraction of 504
quantity of water on extraction of 507
preparation of extract 502-503
Quassia Extract as a Contact Insecticide (paper) 497-531
Quassiin—
pharmacological effects 518-526
solubility 509-510

Radicula—
armoracea, host plant of *Plutella maculipennis* 3
sinuata, host plant of *Plutella maculipennis* 3
Radish. See *Raphanus sativus*.
Rain, factor in disease dissemination 639-648
Rape. See *Brassica napus*.
Raphanus sativus—
host plant of *Plutella maculipennis* 3
inoculation with Collectotrichum leafspot fungus 158
Reeve, C. S. and Lewis, R. H. (paper): Toughness of Bituminous Aggregates 319-330
Relation of Movement of Water in a Soil to Its Hygroscopicity and Initial Moistness (paper) 391-428
Reproduction, cattle, effect of various rations on 175-198
Ritzman, E. G., and Davenport, C. B. (paper): Family Performance as a Basis for Selection in Sheep 93-97
Robinson, R. H., and Lovett, A. L. (paper): Toxic Values and Killing Efficiency of the Arsenates 199-207
Rock—
country, alkali material in 352
effect of surface character on bituminous aggregates 328
hardness 264-265
physical tests 320, 323, 326
soluble salts in 349-350
toughness 264-265, 319-330
Rootrot, black—
association with other fungi 165-167
control 170-171
Rootrot, black—Continued Page
distribution 163
losses 163
symptoms 163-165
Roripa sinuata, host plant of *Plutella maculipennis* 3
Rust—
cereal, origin of spring infection by 429-493
infection of grasses by 429-493
See also *Puccinia graminis*.
timothy—
biologic form of *Puccinia graminis* 433
distribution 482
Rye, influence on alfalfa silage 280

Salts—
effect on milk secretion of cattle 180-185
effect on reproduction of cattle 180-185
sodium, reaction between calcium carbonate and 543-546
soluble—
cause of formation of alkali 334-352
in alkali 342-344, 347, 352
in ash 340-341, 346, 352
in gypsum 350
in niter spots 343-344
in sandstone 336-338, 344-345, 352
in shale 338-340, 352
in soil 341-342, 348
Sand, effect of grading on—
compression of mortar 271-274
hardness of mortar 267-269
tensile strength of mortar 273
tension of mortar 271-274
toughness of mortar 270-271
Sandstone, soluble salts in 336-338, 344-345, 349, 352
Seed, infection by Colletotrichum leafspot fungus 159-160
Service berry. See *Amelanchier canadensis*.
Shadbush. See *Amelanchier canadensis*.
Shale—
alkali in 344, 352
soluble salts in 338-340, 345, 348-349, 352
Sheep, family performance as a basis of selection in 93-97
Sievers, A. F., and McIndoo, N. E. (paper): Quassia Extract as a Contact Insecticide. 497-531
Silage, alfalfa—
acidity 276, 278, 284-285, 287, 291
amino nitrogen in 286-287, 290
chemical analysis 281-283, 288-290
influence of—
corn on 280
maturity on 277
moisture 276, 278, 283, 290
molasses on 280
packing on 278, 280
rye on 280
wilting on 278-279
percentage of sugar in 291
quality 276, 277, 279-280
Silage, heat production in 75-83
Sisymbrium sp., host plant of *Plutella maculipennis* 3
Sleight, R. B. (paper): Evaporation from the Surfaces of Water and River-Bed Materials 209-261
"Slick" spots, origin 580-582

Page

Smith, E. F. (paper): A New Disease of Wheat 51-54
Smith, F. H., and Ewing, P. V. (paper): A Study of the Rate of Passage of Food Residues through the Steer and Its Influence on Digestive Coefficients 55-63
Snapdragon. See *Antirrhinum* spp.
Soap, effectiveness as insecticide of quassia extracts containing 515
Sodium—
  bicarbonate—
    effect of soluble lime salts upon formation of 561-562
    effect upon organic matter 575
  carbonate—
    effect of—
      gypsum upon formation of 549-550
      reaction of calcium carbonate on 543-546
      soluble lime salts upon formation of. 547-549
    effect upon organic matter in soil 566-572, 575-577
    formation in presence of salts of lime ... 550-557
    See also Alkali, black.
  chlorid—
    effect upon organic matter of soil in presence of sodium carbonate 582-586
    reaction with—
      calcium carbonate and calcium chlorid. 547
      calcium carbonate and calcium sulphate 549
      sodium sulphate and calcium carbonate 75
  in alkali 342-344, 349, 352
  in ash 342-344, 352
  in shale 342-344, 349, 352
  in soil 342-344, 352
  nitrate, reaction with—
    calcium carbonate 545
    calcium carbonate and calcium nitrate ... 547
    calcium carbonate and calcium sulphate. 549
  salts—
    effect upon solubility of calcium carbonate in soils 577-578
    reaction with—
      calcium carbonate 543, 566
      calcium carbonate in presence of carbon dioxid 558-560
  sulphate—
    effect upon organic matter of soil in presence of sodium carbonate 582-586
    reaction with—
      calcium carbonate 546
      calcium carbonate and calcium sulphate 547, 550
      sodium chlorid and calcium carbonate. 549
Soil—
  alkali in 344
  analysis of, for use in evaporation experiment 244-249
  calcareous, formation of black alkali in .. 541-590
  effect of—
    boron in, on *Triticum* spp. 591-597
    paraffin on—
      ammonia in 355-363
      ammonia nitrogen in 356-363
      calcium carbonate in 355-363
      nitrate in 355-363

Page

Soil—Continued
  effect of—Continued
    sodium—
      chlorid upon organic matter of in presence of sodium carbonate 582-586
      salts upon solubility of calcium carbonate in 577-578
      sulphate upon organic matter of in presence of sodium carbonate 582-586
  fallow, effect on soil moisture 117-124, 151
  isolation of cyanuric acid from 85-92
  moisture. See Moisture, soil.
  relation between sodium salts and calcium carbonate in 566
  relation of mosaic disease to infection in .. 623-624
  soluble salts in 341-342, 346, 348, 349, 350, 352
  sterilization, effect on mosaic disease 622-623
  type, effect on soil moisture 116, 143-153
  water movement in, in relation to—
    hygroscopicity 391-428
    initial moistness 391-428
Sorghum. See *Andropogon sorghum*.
Species, new ..... 161 (footnote), 313-316
Specific gravity, apparent, relation to—
  hygroscopicity 409
  moistness 409
Spilochalis delira, parasite of *Angitia plutellae*. 8
Spray—
  effect of arsenates as 199-207
  use of nicotine sulphate as 47-50
Stakman, E. C., and Piemeisel, F. J. (paper): Biologic Forms of Puccinia graminis on Cereals and Grasses 429-496
Steenbock, H., et al. (paper): Physiological Effect on Growth and Reproduction of Rations Balanced from Restricted Sources 175-198
Steer, influence of—
  kind of feed on rate of passage through 60
  moisture of feces on digestion 55-56
  quantity of feed on rate of passage through. 60, 61
  rate of passage of feed on digestion 60-61
Stemrust. See *Puccinia graminis*.
Stewart, R., and Peterson, W. (paper): Origin of Alkali 331-353
Studies on Oat Breeding—V: The F_1 and F_2 Generations of a Cross between a Naked and a Hulled Oat (paper) 293-312
Study of the Proteins of Certain Insects with Reference to their Value as Food for Poultry, A (paper) 633-637
Study of the Rate of Passage of Food Residues through the Steer and Its Influence on Digestion Coefficients, A (paper) 55-63
Substitute for Litmus for Use in Milk Cultures, A (paper) 105-111
Sugar, percentage in alfalfa silage 291
Sulphate, nicotine. See Nicotine sulphate.
Sulphuric acid. See Acid, sulphuric.
Surface, F. M., and Zinn, J. (paper): Studies on Oat Breeding—V: The F_1 and F_2 Generations of a Cross between a Naked and a Hulled Oat 293-312
Swanson, C. O., and Tague, E. L. (paper): Chemical Studies in Making Alfalfa Silage 275-292
Sweet alyssum. See *Koniga maritima*.

Page

Tague, E. L., and Swanson, C. O. (paper):
Chemical Studies in Making Alfalfa Silage 275–292
Tarsonemus—
pallidus—
control 387–389
description 378–383
dissemination 377
distribution 375
history 373–374
host plant 377
injury from 378
life history 383–386
nomenclature 375–376
rearing 386–387
systematic relationship 376
spp., cause of plant diseases 377
Temperature—
effect on microorganisms in silage 75–83
effect on evaporation 218–239, 253
index of volatility of compounds to insects. 370
Terpinol, toxicity to insects 367, 369
Tetracarbonimid, comparison with cyanuric acid 87–88
Thiophene, toxicity to insects 367, 368, 370
Thomas, H. E., and Fromme, F. D. (paper):
Black Rootrot of the Apple 163–174
Thuja—
occidentalis, host of *Phoma* sp. 538
orientalis, host of *Phoma* sp. 538
plicata, host of *Phoma* sp. 538
Thymol, toxicity to insects 368, 370
Time, influence on passage of feed through steer 55–63
Tobacco. See *Nicotiana tabacum*.
Tobacco spray. See Nicotine sulphate.
Toluene, toxicity to insects 367, 369, 370
Toughness of Bituminous Aggregates (paper) 319–330
Toxic Values and Killing Efficiency of the Arsenates (paper) 199–207
Toxicity, organic compounds, relation to volatility 365–371
Triticum spp.—
distribution of new disease of 51
control of new disease of 53
effect of boron on 591–597
effect on—
growth of cattle 176–197
milk secretion of cattle 179–197
reproduction of cattle 179–197
probable cause of new disease of 52
symptoms of new disease of 52
Turnip. See *Brassica rapa*.
Turpin, H. W., and Harris, F. S. (paper):
Movement and Distribution of Moisture in the Soil 113–155
Two New Cámbium Miners, Diptera (paper) 313–318

Ulmus—
americana, host plant of *Eriosoma pyricola*. 68
campestris, host plant of *Eriosoma pyricola*. 68
Uredinia of *Puccinia graminis*—
appearance 486–487
development 486–487
Urediniospores of *Puccinia graminis*—
morphology 484–488
results of inoculation on various hosts 432–484

Page

Valeric acid. See Acid, valeric.
Vitamines, effect on—
milk secretion in cattle 187–189
reproduction of cattle 187–189
growth of cattle 187–189
Volatility of Organic Compounds as an Index of the Toxicity of Their Vapors to Insects (paper) 365–371

Walters, E. H., and Wise, L. E. (paper): Isolation of Cyanuric Acid from Soil 85–92
Water—
absorption by plant from soil 41–42
effect of source of supply on soil moisture 149–150
evaporation—
accuracy of measurements 216–217
description of tanks used for 249
Effect of—
location on 218–238, 250–259
size of water surfaces on 218–259
stream-bed materials on 242–259
temperature on 218–239, 253
weather 241–242
wind velocity 239–241
effect on irrigation 209
flowing, effect on evaporation 227–229
movement in soil in relation to—
hygroscopicity 391–428
initial moistness 391–428
solvent of quassiin powder 510–514
still, effect on evaporation 227–229
variation in leaves of—
Andropogon sorghum 11–46
Zea mays 11–46
Watercress. See *Radicula sinuata*.
Watercress, wild. See *Roripa sinuata*.
Weather—
effect on—
disease dissemination 639–648
evaporation 241–242
soil moisture 119–120, 130–131, 152
relation of, to moisture from surface soil. 418
Weir, J. R. (paper): A Needle Blight of Douglas Fir 99–104
Wheat. See *Triticum* spp.
Wilson, J. B., and Cook, F. C. (paper):
Effect of Three Annual Applications of Boron on Wheat 591–597
Wilting, influence on alfalfa silage 278–279
Wind—
factor in disease dissemination 639–648
velocity of, effect on evaporation 239–241
Wind-Blown Rain, a Factor in Disease Dissemination (paper) 639–648
Wise, L. E., and Walters, E. H. (paper):
Isolation of Cyanuric Acid from Soil 85–92
Woolly pear aphis. See *Eriosoma pyricola*.

Xylaria rootrot. See Rootrot, black.
Xylaria spp.—
causal organisms of black rootrot of *Malus sylvestris* 166–172
culture features 167–168
inoculations of *Malus sylvestris* with 168–170
pathogenicity 168
See also Rootrot, black.
Xylene, toxicity to insects 367, 369, 370

Zea mays— Page
composition 600
digestibility 608–609
effect on—
growth of cattle 176–197
milk secretion of cattle 179–197
reproduction of cattle 179–197
energy values 599–613
moisture content of soil 12
Zea mays—Continued Page
variation of—
dry matter in leaves 11–46
water in leaves 11–49
Zinn, J. and Surface, F. M. (paper): Studies on Oat Breeding—V: The F_1 and F_2 Generations of a Cross Between a Naked and a Hulled Oat 293–312

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
10 CENTS PER COPY

▽